

Distributed Representations of Tuples for Entity Resolution

Muhammad Ebraheem Saravanan Thirumuruganathan Shafiq Joty[†] Mourad Ouzzani Nan Tang

Qatar Computing Research Institute, HBKU, Qatar [†]Nanyang Technological University, Singapore
 {mhasan, sthirumuruganathan, mouzzani, ntang}@hbku.edu.qa, srjoty@ntu.edu.sg

ABSTRACT

Entity resolution (ER) is a key data integration problem. Despite the efforts in 70+ years in all aspects of ER, there is still a high demand for democratizing ER – humans are heavily involved in labeling data, performing feature engineering, tuning parameters, and defining blocking functions. With the recent advances in deep learning, in particular distributed representation of words (*a.k.a.* word embeddings), we present a novel ER system, called DEEPER, that achieves good accuracy, high efficiency, as well as ease-of-use (*i.e.*, much less human efforts). For accuracy, we use sophisticated composition methods, namely uni- and bi-directional recurrent neural networks (RNNs) with long short term memory (LSTM) hidden units, to convert each tuple to a distributed representation (*i.e.*, a vector), which can in turn be used to effectively capture similarities between tuples. We consider both the case where pre-trained word embeddings are available (we use GloVe in this paper) as well the case where they are not; we present ways to learn and tune the distributed representations that are customized for a specific ER task under different scenarios. For efficiency, we propose a locality sensitive hashing (LSH) based blocking approach that uses distributed representations of tuples; it takes all attributes of a tuple into consideration and produces much smaller blocks, compared with traditional methods that consider only a few attributes. For ease-of-use, DEEPER requires much less human labeled data and does not need feature engineering, compared with traditional machine learning based approaches which require handcrafted features, and similarity functions along with their associated thresholds. We evaluate our algorithms on multiple datasets (including benchmarks, biomedical data, as well as multi-lingual data) and the extensive experimental results show that DEEPER outperforms existing solutions.

PVLDB Reference Format:

DeepERs. Deep Entity Resolution. *PVLDB*, 11 (5): xxxx-yyyy, 2018.

DOI: <https://doi.org/TBD>

1. INTRODUCTION

Entity resolution (ER) (*a.k.a.* record linkage) is a fundamental problem in data integration, which has been extensively studied for 70+ years [19], from different aspects such as declarative rules [7, 47, 51], machine learning (or probabilistic) [22, 7, 45, 12], and crowdsourcing [50, 25], to name a few, and in many domains such as health care [19], e-commerce [25], data warehouses [54], and many more.




Figure 1: A Typical ER Pipeline

Despite the great efforts in all aspects of ER, there is still a long journey ahead in democratizing ER. Adding to the difficulty is the rapidly increasing size, number, and variety of sources of big data. Consider Figure 1 for a typical ER pipeline that consists of three main steps: (1) *labeling entity pairs* as either matching or non-matching pairs; (2) *learning rules/ML model* using the labeled data; and (3) *blocking* for reducing the number of comparisons when applying the learned rules/ML model. Step (1) decides *what* are the matched entities. Step (2) reasons about *why* they match. Step (3) reduces the number of pairwise comparisons (*i.e.*, *how*), usually by expert specified blocking functions, which generate blocks such that matched entities co-exist in the same block.

Challenges. The major challenge of current solutions in democratizing ER is that each step needs human-in-the-loop. Even a “simple” step, such as step (1), which is thought to be trivial, turned out to be difficult in practice [18]. Moreover, the human resources required in each step might be different – knowing what (*i.e.*, Step (1)) is easier than telling why (*i.e.*, Step (2)) or how (*i.e.*, Step (3)). Wouldn’t it be great if we significantly reduce human cost for each step, but with a comparable if not better accuracy?

Observations. (i) In practice, Step (1) is tedious because humans can only label up to several hundred (or few thousand) entity pairs and are error-prone. Intuitively, the hope to reduce this effort is to have a “prior knowledge” about what values would most likely match. (ii) Regardless of using rule-based [47, 51] or ML-based [22, 7] methods, Step (2) requires experts to provide (domain-specific) similarity functions from a large pool, for example, SimMetrics (<https://github.com/Simmetrics/simmetrics>) has 29 symbolic similarity functions. In addition, experts may also need to specify the thresholds. Ideally, this step needs a unified metric that can decide different cases of matched entities, from both syntactic and semantic perspectives. (iii)

For Step (3), a blocking function is typically defined over few attributes, *e.g.*, **country** and **gender** in a table about demographic information, without a holistic view over all attributes or the semantics of the entities.

Our Methodology. In this paper, we present DEEPER, a system for democratizing ER that needs much less labeled data by considering a prior knowledge of matched values (observation (i)), captures both syntactic and semantic string similarities without feature engineering and parameter tuning (observation (ii)), and provides an automated and customizable blocking method that takes a holistic view of all attributes of the entities (observation (iii)) – all of these targets are achieved by gracefully using distributed representations (of tuples), a fundamental concept in deep learning (DL).

Distributed representation of tuples is an extension of distributed representation of words (*a.k.a.* word embeddings) that map a word to a high dimensional dense vector such that the vectors for similar words are close to each other in their semantic space. Well known methods include word2vec [40] and GloVe [44]. Word embeddings have become conventional wisdom in other fields such as natural language processing and have many appealing properties: (a) They are known to well capture semantic string similarities, *e.g.*, “VLDB” and “Very Large Database Systems”, and “Apple Phone” and “iPhone”. (b) Using pre-trained word embeddings (*e.g.*, GloVe is trained on a corpus with 840 billion tokens), we can tremendously reduce the human effort of labeling matched values per dataset. (c) Due to their generality, it is possible that the same intermediate representation (such as from word2vec, GloVe, or fastText) can work for multiple datasets out-of-the-box. In contrast, traditional ER approaches require hand tuning for each dataset. (d) Distributed representation toolkits such as fastText [8] provide support for almost 294 languages allowing them, and thereby DEEPER, to work seamlessly on different languages. (e) They provide a new opportunity of blocking over the vectors representing the tuples.

Contributions. In this paper, we present DEEPER, a novel ER system powered by distributed representations of tuples, which is accurate, efficient, and easy-to-use. Our major contributions are summarized as follows.

1. [Distributed representations of tuples for ER.] We present two methods for effectively computing distributed representations of tuples by composing the distributed representations of all the tokens within all attribute values of a tuple. The first method is a simple averaging of the tokens’ distributed representations while the second uses uni- and bi-directional recurrent neural networks (RNNs) with long short term memory (LSTM) hidden units to convert each tuple to a distributed representation (*i.e.*, a vector). We also describe how to treat ER as a classification problem based on the distributed representations of tuples (Section 2).

2. [Learning/tuning distributed representations.] Instead of using pre-trained word embeddings, we introduce an end-to-end approach where the performance of DEEPER can be further improved by obtaining and tuning the distributed representations that are customized for a specific ER task (Section 3).

3. [Blocking for distributed representations.] We propose two efficient and effective blocking algorithms based on

the distributed representations for tuples and locality sensitive hashing, which takes the semantic relatedness of all attributes into account. Our approach is dramatically different from traditional blocking methods in the syntactic realm. In addition, the extensive amount of theoretical work on LSH can be used to both tune and provide rigorous theoretical guarantees on the performance (Section 4).

4. [Experiments.] We conducted extensive experiments (Section 5). DEEPER show superior performance compared to a state-of-the-art ER solution as well to published methods on several benchmark datasets from citations, products, and proteomics. We further show that DEEPER is robust to noisy labels and to small training data. It also responds positively to tuned representations and sophisticated compositional approaches. Finally, the proposed blocking delivers outstanding results under different conditions.

Moreover, we present related work in Section 6, and conclude the paper in Section 7.

2. DISTRIBUTED REPRESENTATIONS OF TUPLES FOR ENTITY RESOLUTION

In this section, we first review the ER problem (Section 2.1). We then introduce distributed representations of words (Section 2.2), followed by describing how to compute distributed representations of tuples (Section 2.3). Finally, we describe how to build a classifier based on the distributed representations of tuples for ER (Section 2.4).

2.1 Entity Resolution

Let T be a set of entities with n tuples and m attributes $\{A_1, \dots, A_m\}$. Note that these entities can come from one table or multiple tables (with aligned attributes). We denote by $t[A_i]$ the value of attribute A_i on tuple t . The problem of *entity resolution* (ER) is, given all distinct tuple pairs (t, t') from T where $t \neq t'$, to determine which pairs of tuples refer to the same real-world entities (*a.k.a.* a *match*).

2.2 Distributed Representations of Words

We briefly describe the concept of distributed representations of words (please refer to [26] for more details). *Distributed representations of words* (*a.k.a.* *word embeddings*) are learned from the data in such a way that semantically related words are often close to each other; *i.e.*, the geometric relationship between words often also encode a semantic relationship between them. This embedding method seeks to map each word in a given vocabulary into a high dimensional vector with a fixed dimension d (*e.g.*, $d = 300$ for GloVe). In other words, each word is represented as a distribution of weights (positive or negative) across these dimensions. Figure 2 shows some sample word embeddings.

Often, many of these dimensions can be independently varied. The representation is considered “distributed” since each word is represented by setting appropriate weights over multiple dimensions while each dimension of the vector contributes to the representation of many words. Distributed representations can express an exponential number of “concepts” due to the ability to compose the activation of many dimensions [26]. In contrast, the symbolic (*a.k.a.* discrete) representation often leads to data sparsity and requires substantially more data to train ML models successfully [5].

Algorithm 1 A Simple Averaging Approach

- 1: **Input:** Tuple t , a pre-trained dictionary such as GloVe
 - 2: **Output:** Distributed representation $\mathbf{v}(t)$ for t
 - 3: **for** each attribute A_k of t **do**
 - 4: Tokenize $t[A_k]$ into a set of words W
 - 5: Look up vectors for tokens $w_l \in W$ in GloVe
 - 6: $\mathbf{v}_k(t) :=$ average of vectors of tokens in $t[A_k]$
 - 7: $\mathbf{v}(t) :=$ concatenation of $\mathbf{v}(t[A_k])$, for $i \in [1, m]$
-




Figure 2: Sample Word Embeddings

Word embeddings have been successfully used to solve various tasks such as topic detection, document classification, and named entity recognition.

A number of methods have been proposed to compute the distributed representations of words including word2vec [40], GloVe [44], and fastText [8]. Generally speaking, these approaches attempt to capture the semantics of a word by considering its relations with neighboring words in its context. In this paper, we use GloVe, which is based on a key observation that the ratios of co-occurrence probabilities for a pair of words have some potential to encode a notion of its meaning. GloVe formalizes this observation as a log-bilinear model with a weighted least-squares objective function. Informally, GloVe is trained on a global word-word co-occurrence matrix and seeks to encode general semantic relationships as vector offsets in a high dimensional space. This objective function has a number of appealing properties such as the vector difference between the representations for (man, woman) and (king, queen) are roughly equal.

2.3 Distributed Representations of Tuples

Similar to word embeddings, given a tuple, we need to convert it to a vector representation, such that we can measure the similarity between two tuples by computing the distance between their corresponding vectors.

Consider a tuple t with m attributes $\{A_1, \dots, A_m\}$. Let $\mathbf{v}(t[A_k])$ be the vector representation of value $t[A_k]$, and $\mathbf{v}(t)$ be the vector representation of tuple t . Also, we write $\mathbf{v}(x)$ the vector representation of a word x . We also write $|\mathbf{v}|$ as the number of dimensions of vector \mathbf{v} .

Below, we describe two approaches for computing $\mathbf{v}(t)$: a simple approach and a compositional approach. We then explain how we compute the similarity between two vectors.

A Simple Approach - Averaging

For each attribute value $t[A_k]$, we first break it into individual words using a standard tokenizer. For each token (word)

Algorithm 2 A Compositional Approach

- 1: **Input:** Tuple t , a pre-trained dictionary such as GloVe
 - 2: **Output:** Distributed representation $\mathbf{v}(t)$ for t
 - 3: **for** each attribute A_k ($k \in [1, m]$) of t **do**
 - 4: Tokenize $t[A_k]$ into a set of words W
 - 5: Look up vectors for tokens $w_l \in W$ in GloVe
 - 6: Pass the GloVe vectors for tokens through a LSTM-RNN composer to obtain $\mathbf{v}(t[A_k])$
 - 7: $\mathbf{v}(t) := \mathbf{v}(t[A_m])$
-




Figure 3: RNN with LSTM in the Hidden Layer

x , we look up the GloVe pre-trained dictionary and retrieve the d -dimensional vector $\mathbf{v}(x)$. If a word is not found in the GloVe dictionary (dubbed out-of-vocabulary scenario) or if the attribute has a NULL value, GloVe contains a special token UNK to represent such out-of-vocabulary word (we postpone the discussion of a better handling of out-of-vocabulary values to Section 3).

In our initial approach, the vector representation for an attribute value $\mathbf{v}(A_k)$ is obtained by simply *averaging* the vectors of its tokens x in $t[A_k]$. The vector representation $\mathbf{v}(t)$ of tuple t is the concatenation of all vectors $\mathbf{v}(A_k)$ ($k \in [1, m]$). That is, if each attribute value corresponds to a d -dimensional vector, $|\mathbf{v}(t)| = d \times m$. Algorithm 1 describes this process.

A Compositional Approach - RNN with LSTM

An alternative approach for computing $\mathbf{v}(t)$ is to use a compositional technique motivated by the linguistic structures (*e.g.*, n -grams, sequence, and tree) in Natural Language Processing (NLP). In this approach, instead of simple averaging, we use a neural network to semantically compose the word vectors (retrieved from GloVe) into an attribute-level vector. Different neural network architectures have been proposed to consider different types of linguistic structures, *e.g.*, convolutional network for n -gram level composition [14], recurrent network for sequential composition [34, 35], and recursive network for hierarchical tree-based composition [48]. The most popular compositional methods use a recurrent structure [34].

In this work, we use uni- and bi-directional recurrent neural networks (RNN) with long short term memory (LSTM) hidden units [27], *a.k.a.* LSTM-RNNs. As shown in Figure 3, RNNs encode a sequence of words for all attribute values (*i.e.*, words of a tuple) into a composed vector by pro-

cessing its word vectors sequentially (*i.e.*, the word embedding lookup layer), at each time step, combining the current input word vector with the previous hidden state (*i.e.*, the RNN composition layer). The outputted composed vector of $\mathbf{v}[t]$ has x dimensions, where x is determined by LSTM and may be different than d . RNNs thus create internal states by remembering the output of the previous time step, which allows them to exhibit dynamic temporal behavior. We can interpret the hidden state \mathbf{h}_i at time i as an intermediate representation summarizing the past. The output of the last time step \mathbf{h}_k thus represents the tuple. LSTM cells contain specifically designed gates to store, modify or erase information, which allow RNNs to learn long range sequential dependencies. The LSTM-RNN shown in Figure 3 is unidirectional in the sense that it encodes information from left to right.

Bidirectional RNNs [46] capture dependencies from both directions, thus provide two different views of the same sequence. For bidirectional RNNs, we use the concatenated vector $[\overrightarrow{\mathbf{h}}_k, \overleftarrow{\mathbf{h}}_k]$ as the final representation of the attribute value, where $\overrightarrow{\mathbf{h}}_k$ and $\overleftarrow{\mathbf{h}}_k$ are the encoded vectors from left to right and right to left, respectively.

Algorithm 2 gives the overall compositional process. For each word token in an attribute, we first look up its Glove vector. Then we use a “shared”¹ LSTM-RNN to compose each attribute value in a tuple into a vector. This results in a vector $\mathbf{v}(t)$ of d dimensions. It is important to note that the parameters of the LSTM-RNN model need to be learned on the ER task in a DL framework before it can be used to compose vectors for other off-the-shelf classifiers.

Computing Distributional Similarity

Given the distributed representation of a pair of tuples t and t' , the next step is to compute the similarity between their distributed representations $\mathbf{v}(t)$ and $\mathbf{v}(t')$. Note that for the distributed representations computed by averaging, each vector has $d \times m$ dimensions. We apply the cosine similarity on every d dimensions (each d dimension corresponds to one attribute), which results in a m -dimensional similarity vector. For the distributed representations computed by LSTM, each vector has x dimensions, we can use methods including subtracting (vector difference) or multiplying (hadamard product) the corresponding entries of the two vectors, which will result in a x -dimensional similarity vector.

2.4 ER as a Classification Problem using Distributed Representations of Tuples

ER is typically treated as a binary classification problem [22, 20, 42, 7]. Given a pair of tuples (t, t') , the classifier outputs *true* (resp. *false*) to indicate that t and t' match (resp. mismatch). The Fellegi-Sunter model [22] is a formal framework for probabilistic ER and most prior machine learning (ML) works are simple variants of this approach.

Intuitively, given two tuples t and t' , we compute a set of similarity scores between aligned attributes based on pre-defined similarity functions. The vectors of known matched (resp. mismatched) tuple pairs – that are also referred to

¹By the term ‘shared’ we mean the parameters of the model are shared across the attributes. In other words, the LSTM-RNNs for different attributes in a table share the same parameters.

Algorithm 3 ER – Classifier

```

1: Input: Table  $T$ , training set  $S$ 
2: Output: All matching tuple pairs in table  $T$ 
3: // Training
4: for each pair of tuples  $(t, t')$  in  $S$  do
5:   Compute the distributed representation for  $t$  and  $t'$ 
6:   Compute their distributional similarity vector
7: Train a classifier  $\mathcal{C}$  using the similarity vectors for  $S$  and true labels
8: // Testing
9: for each pair of tuples  $(t, t')$  in  $T$  do
10:  Compute the distributed representation for  $t$  and  $t'$ 
11:  Compute their distributional similarity vector
12:  Predict match/mismatch for  $(t, t')$  using  $\mathcal{C}$ 

```

as positive (resp. negative) examples – are used to train a binary classifier (*e.g.*, SVMs, decision trees, or random forests). The trained binary classifier can then be used to predict whether an arbitrary tuple pair is a match.

It is fairly straightforward to build a classifier for ER using the above steps. For each pair of tuples in the training dataset, we compute their distributed representations through either Algorithm 1 or Algorithm 2. We then compute the similarity between tuple pairs using different metrics. Given a set of positive and negative matching examples, we pass their similarity vectors to a classifier such as SVM along with their labels. Algorithm 3 provides the pseudocode.

3. LEARNING AND TUNING DISTRIBUTED REPRESENTATIONS

Composing distributed representations of words to generate distributed representations of tuples, as discussed in Section 2, works effectively for an ER task based on two assumptions: (i) there exist pre-trained word embeddings for most (if not all) words in the dataset; and (ii) the pre-trained word embeddings that were trained in a task agnostic manner are sufficient for the ER task.

However, the above two assumptions may not hold for many real-world scenarios. Next, we give a full treatment of all cases that follow or break these assumptions. More specifically, the datasets that follow the above assumptions are considered as *general data with full coverage* (Section 3.1); the datasets that are not well covered, are considered as *general data with partial coverage* (Section 3.2); and the datasets that are minimally covered, are considered as *specific data with minimal coverage* (Section 3.3). Finally, we discuss how to *tune word embeddings* for an ER task (Section 3.4).

3.1 General Data with Full Coverage

Many of the benchmark datasets used in ER [17] such as Citations, Products, Restaurants, and Movies, are often generic and do not require substantial specialized knowledge. While they may be noisy and incomplete, the content is often in English and use common words. For such generic datasets, the approach that we have proposed so far - convert pairs of tuples to similarity vectors using GloVe - is often adequate. As we shall show in the experiments, we obtain competitive results for all of them.

3.2 General Data with Partial Coverage

Another case is where a significant number of words that are relevant for an ER task in a dataset are not present in the word embedding dictionary. It is well known that natural languages exhibit a Zipfian distribution with a heavy tail of infrequently used words. For computational efficiency, these “rare” words are often pruned. For example, even though GloVe was trained on a very large document corpus with 840 billion tokens and a vocabulary size of 2.2 million, it can miss many words such as from technical domains, names of people, or institutions, which would be useful for performing ER on a Citation dataset. Our approach from Section 2 replaces any word not present in the dictionary with a unique token UNK (Unknown). However, it is possible that these words are especially relevant for identifying duplicate tuples.

Vocabulary Expansion is the process of expanding the embedding dictionary to words that were not observed during training. The naive approach of adding new documents to the original corpus and re-run the whole algorithm is not always possible or feasible. For example, the popular GloVe dictionary is trained on Common Crawl corpus that is almost 2 TB requiring exorbitant computing resources. Given an unseen word, another simplistic approach is to take the top- K words that co-occur the most with the unseen word in the ER dataset and simply average them. Another popular approach is to use character level embeddings such as fastText instead of word level embeddings or use subword information [8]. These approaches can recognize that the rare word “dendritic” is similar to “dendrites” even if it is not explicitly present in the dictionary.

While these approaches are simple and often effective, in this paper, we advocate an alternative approach inspired from [21], as described below.

Vocabulary Retrofitting. Intuitively, this approach seeks to adapt word embeddings such as GloVe by using auxiliary semantic resources such as WordNet. If there are two words that are related in WordNet, [21] seeks to refine their word embeddings to be similar. This approach is especially relevant to our scenario where our input is a tuple with explicit attribute structure and has relational interpretations.

Let $W = \{w_1, w_2, \dots\}$ be the set of words from the ER dataset. Let $U \subseteq W$ be the set of words with no word embeddings. We begin by creating an undirected graph with one vertex for each word in W . Two vertices (v_i, v_j) are connected if they co-occur in some tuple. One can also define other additional edge semantics such as an edge connecting two vertices if they occur in the same attribute and so on. For vertex $v \in W \setminus U$, we assign its word embedding from the dictionary. For vertex $v \in U$, we assign its initial value as the average of K of its most frequent co-occurring words. We then create a set of new vertices W' for each word $w \in W$ and connect it to its corresponding vertex from W . These vertices correspond to the retrofitted word embeddings that will be learned through probabilistic inference. We set the objective function such that we learn the word embeddings for each vertex $w \in W'$ such that they are both closer to its counterpart in W and also closer to its other neighboring vertices. Figure 4 shows an example.

This approach has a number of appealing properties. First, this is an efficient mechanism to learn the word embeddings of unknown words. Second, it provides an elegant mechanism to “tune” the word embeddings that is in sync




Figure 4: A Sample for Vocabulary Retrofitting

with the ER dataset. For example, if two words do not co-occur a lot in Common Crawl (such as SIGMOD and Stonebraker) but does in our dataset, this approach tunes the embeddings appropriately. Finally, it allows one to encode a diverse array of options to define relatedness (such as present in the same attribute or tuple) that is more generic than the simple co-occurrence idea used by GloVe.

3.3 Specific Data with Minimal Coverage

Another common scenario occurs when one performs ER on datasets with specialized information. Examples include performing ER on scientific articles for specialized fields or in data that is specific to an organization. In this case, the attributes often contain esoteric words that are not present in GloVe dictionary. What is worse, it might not know that two terms such as p53 and cancer are related. If most of the words are not present in the dictionary, then approaches such as retrofitting might be applicable. This problem could be exacerbated if the ER dataset belongs to complex domains such as Genomics. Finding if two tuples describe the same protein might not be possible with GloVe or word2vec.

We use one of the following approaches to handle such scenarios:

- *Unsupervised Representation from Datasets.* If the two datasets that are to be merged are large enough, it might contain enough patterns to automatically learn word embeddings from them. One could pool all the tuples from both datasets and train GloVe/word2vec on them by treating each tuple as a document.
- *Unsupervised Representation Learning from related Corpus.* If the datasets are not large enough, then one can find another surrogate resource to learn word embeddings. GloVe and word2vec learned the word embeddings by training on a large corpus such as Common Crawl and Google News respectively. If one can find an analogous vast corpus of domain information in the form of unstructured data such as documents,




Figure 5: Deep Entity Resolution Framework

it could be used to learn the word embeddings for this specialized dataset. For example, while word embeddings from GloVe might not know that p53 and cancer are related, the word embeddings trained from PubMed articles would be able to. Similarly, one could learn word embeddings from the enterprise’s document repository for ER on data in the same organization.

- *Customized Word Embeddings.* In some cases, it is possible that direct application of GloVe or word2vec does not solve the problem. Even when given a huge amount of training they might not find if two strings encode the same protein. In such cases, one has to check if there exist prior methods for learning word embeddings for the task of interest. For example, there exist prior work on word embeddings for proteins and genes from sequences of amino acids and DNA respectively [3].

Of course, the worst case scenario is a specialized database where no auxiliary resources are available to automatically learn the representation for key concepts. In this scenario, any machine learning approach is doomed to fail unless one provides hand crafted features or a substantially large number of training examples that are sufficient for learning representations using deep learning.

3.4 Tuning Word Embeddings for an ER Task

Recall that word embeddings such as GloVe/word2vec are learned in an unsupervised task-agnostic manner so that they can be used for arbitrary tasks. If the corpus used to train them is large and representative enough, the learned word embeddings can be used in a turn-key manner for ER tasks. While unsupervised pre-training on a large corpus does give the DL model better generalization, in many cases the learned representations often lack task-specific knowledge. One can achieve the best of both worlds by fine-tuning the pre-trained word representations to achieve better accuracy. In fact, this paradigm of unsupervised pre-training followed by supervised fine-tuning often beats methods that are based on only supervision [14].

Our proposed approach can be easily extended for this purpose. Let us now consider our deep neural network in

Figure 5. We train this network using Stochastic Gradient Descent (SGD) based learning algorithms, where gradients (errors) are obtained via backpropagation. In other words, errors in the output layer (*i.e.*, the classification layer) are backpropagated through the hidden layers using the chain rule of derivatives. The parameters of the hidden layers are slightly altered such that when the model accuracy improves. For learning or fine-tuning the embeddings, we allow these errors to be backpropagated all the way till the word embedding layer. In contrast, our approach from Section 2 can only tune parameters up to the composition layer. Allowing error to be back propagated to the embedding layer allows one additional level of freedom to tinker model parameters. Instead of limiting ourselves to how the attributes are composed or how similarity is computed, we can also modify the word embeddings themselves (if necessary).

One common issue with backpropagation through a deep neural network (*i.e.*, neural networks with many hidden layers such as RNNs) is that as the errors get propagated, they may soon become very small (*a.k.a.* gradient vanishing problem) or very large (*a.k.a.* gradient exploding problem) that can lead to undesired values in weight matrices, causing the training to fail [6]. We did not observe such problems in our end-to-end training with simple averaging compositional method, and the gates in LSTM cells automatically tackle these issues to some extent [28].

4. BLOCKING FOR DISTRIBUTED REPRESENTATIONS

Efficient ER systems avoid comparing all possible pairs of tuples ($\binom{n}{2}$ for one table of $n \times m$ for two tables) through the use of blocking [4, 11]. Blocking identifies groups of tuples (called *blocks*) such that the search for duplicates need to be done only within these blocks, thus greatly reducing the search space. If there are B blocks with b_{max} as the size of the largest block, this requires $O(b_{max}^2 \times B)$ which can be orders of magnitude faster for small values of b_{max} . While blocking often substantially reduces the number of comparisons, it may also miss some duplicates that fall in two different blocks.

4.1 New Opportunities for Blocking

The distributed representation of tuples enables a number of novel approaches for tackling blocking in a turn-key fashion. We observe that blocking is very related to the classical problem of approximate nearest neighbor (ANN) search in a similarity space, which has been extensively studied (see [52]). Locality sensitive hashing (LSH) is a popular probabilistic technique for finding ANNs in a high dimensional space. In the blocking context, the more similar input vectors are, the higher the probability that they both will be put in the same block. While we are not the first to propose LSH for blocking or automated tuning for blocking (see Section 6), we are the first to propose a series of truly turn-key algorithms that dramatically simplify the blocking process.

Challenges in Traditional Blocking Approaches

- Identifying good blocking rules often requires the assistance of domain experts.
- Typically, blocking rules consider only few (*e.g.*, 2-3) attributes which could result in comparing tuples that

agree on those attributes but have very different values on other attributes.

- Prior blocking methods often do not take semantic similarity between tuples into consideration.
- It is usually hard to tune the blocking strategy to control the recall and/or the size of the blocks.

We can readily see that LSH for blocking over distributed representations of tuples obviates many of these issues. First, we free the domain experts from providing a blocking function. Instead the combination of LSH and distributed representations transforms the problem of blocking into finding tuples in a high dimensional similarity space. Note that a distributed representation encodes semantic similarity into the mix and that LSH considers the entire tuple for computing similarity. The extensive amount of theoretical work on LSH (see Section 4.5) can be used to both tune and provide rigorous theoretical guarantees on the performance.

4.2 LSH Primer

Definition 1: (*Locality Sensitive Hashing* [24, 52]): A family \mathcal{H} of hash functions is called (R, cR, P_1, P_2) -sensitive if for any two items p and q ,

- if $dist(p, q) \leq R$, then $Prob[h(p) = h(q)] \geq P_1$, and
- if $dist(p, q) \geq cR$, then $Prob[h(p) = h(q)] \leq P_2$,

where $c > 1$, $P_1 > P_2$, $h \in \mathcal{H}$. \square

The smaller the value of ρ ($\rho = \frac{\log(1/P_1)}{\log(1/P_2)}$), the better the search performance. For many popular distance measures such as cosine, Euclidean, and Jaccard, there exists an algorithm for the (R, c) -nearest neighbor problem that requires $O(dn + n^{1+\rho})$ space (where d is the dimensionality of p, q), $O(n^\rho)$ query time, and $O(n^\rho \log_{1/P_2} n)$ invocations of hash functions. In practice, LSH requires linear space and time [24, 52].

Implementing LSH. Given a table T , LSH seeks to index all the tuples in a hash table that is composed of multiple buckets each of which is identified by a unique hash code. Given a tuple t , the bucket in which it is placed by a (single) hash function h is denoted as $h(t)$ - which is often a binary value. If two tuples t and t' are very similar, then $h(t) = h(t')$ with high probability. Typically, one uses K hash functions $h_1(t), h_2(t), \dots, h_K(t)$, $h_i \in \mathcal{H}$, to encode a single tuple t . We represent t as a K dimensional binary vector which in turn is represented by its hash code $g(t) = (h_1(t), h_2(t), \dots, h_K(t))$. Since the usage of K hash functions reduces the likelihood that similar items will obtain the same (K dimensional) hash code, we repeat the above process L times - $g_1(t), g_2(t), \dots, g_L(t)$. Intuitively, we build L hash tables where each bucket in a hash table is represented by a hash code of size K . Each tuple is then hashed into L different hash tables where its hash codes are $g_1(t), \dots, g_L(t)$. For example, if $K = 10$ and $L = 2$, every tuple is represented as a 10-dimensional binary vector that is stored in 2 different hash tables.

Hash Families for Cosine Distance. Cosine similarity provides an effective method for measuring semantic similarity between two distributed representations [44]. Since the distributed representations can have both positive and negative real numbers, the cosine similarity varies between -1

Algorithm 4 ER Classifier with LSH based Blocking

- 1: **Input:** Table T , training set S , L
 - 2: **Output:** All matching tuple pairs in Table T
 - 3: Generate hash functions for g_1, \dots, g_L using the random hyperplane method
 - 4: **for** each tuple t **do**
 - 5: Index the DR of t into L hash tables using g_1, \dots, g_L
 - 6: **for** each hash table g in $[g_1, \dots, g_L]$ **do**
 - 7: **for** each non-empty bucket H in g **do**
 - 8: **for** each pair of tuples (t, t') in H **do**
 - 9: Apply classifier on (t, t')
-

and $+1$. The family of hash functions for cosine is obtained using the *random hyperplane* method. Intuitively, we choose a random hyperplane through the origin that is defined by a normal unit vector v . This defines a hash function with two buckets where $h(t) = +1$ if $v \cdot t \geq 0$ and $h(t) = -1$ if $v \cdot t < 0$ where “ \cdot ” denotes the dot product between vectors. Since we require K hash functions h_1, \dots, h_K , we randomly pick K hyperplanes and each tuple is hashed with them to obtain a K dimensional hash code. This process is then repeated for all L hash tables.

4.3 LSH-based Blocking

We begin by generating hash codes h_1, \dots, h_K for each of the L hash tables using the random hyperplane method. The set of hash functions h_1, \dots, h_K is analogous to a single blocking rule. The K dimensional binary hash code is equivalent to an identifier to a distinct block where t falls into. Each hash table performs “blocking” using a different blocking rule.

We index the distributed representation of every tuple t in each of the L hash tables. LSH guarantees that similar tuples get the same hash code (and hence fall into the same block) with high probability. Then, we consider each of the blocks for every hash table and invoke the classifier over the distinct pairs of tuples found in them. Algorithm 4 provides the corresponding pseudocode.

Algorithm 4 is a fairly straightforward adaptation of LSH to ER. As we shall see in the experiments, it works well empirically. However, the number of times a classifier would be invoked can be as much as $O(L \times b_{max}^2 \times B_{max})$ where L is the number of hash tables, b_{max} is the size of the largest block in any hash table and B_{max} is the maximum number of non-empty blocks in any hash table. While the traditional LSH based approach is often efficient and effective, one can achieve improved performance with some additional domain knowledge. We next describe a sophisticated approach to reduce the impact of L and b_{max} .

4.4 Multi-Probe LSH for Blocking

Recall that by increasing K , we ensure that the probability of dissimilar tuples falling into the same block is reduced. By increasing L , we ensure that similar tuples fall into the same block in at least one of the L hash tables. Hence while increasing L ensures that we will not miss a true duplicate pair, it is achieved at the additional cost of making extraneous comparisons between non-duplicate tuples. We wish to come up with a LSH based approach that achieves two objectives: (a) reduce the number of unnecessary comparisons and (b) reduce the number of hash tables L without seriously affecting recall.

Algorithm 5 Approximate Nearest Neighbor Blocking

- 1: Index all tuples using LSH
 - 2: **for** each tuple t **do**
 - 3: Get candidate tuples using Multiprobe-LSH
 - 4: Sort tuples in candidates based on similarity with t
 - 5: Invoke classifier on t and each of top- N neighbors of t
-

Reducing Unnecessary Comparisons. Intuitively, we expect duplicate tuples to have a high similarity with each other and thereby more likely to be “near” each other. Hence, even if a block has a large number of tuples, it is not necessary to compare all pairs of tuples. Instead, given a tuple t , we retrieve the top- N nearest neighbors of t and invoke the classifier between t and these N nearest neighbors. This is achieved by collating all the tuples that fall into the same block as t in each of the L hash tables. We then compute the similarity between t and each of the candidates and return the top- N tuples. If the block is large with b tuples, then we only require $\Theta(b \times N)$ classifier invocations instead of $\Theta(b^2)$. We can see that by choosing $N < b$, we can achieve considerable reduction in classifier invocations.

Reducing L . Naively decreasing the number of hash tables L can decrease the recall as a pair of duplicate tuples might fall into different blocks. The key idea is to augment a traditional LSH scheme with a carefully designed probing sequence that looks for multiple buckets (of the same hash table) that could contain similar tuples with high probability. This approach is called multi-probe LSH [36]. Consider a tuple t and another very similar tuple t' . It is possible that t and t' do not fall into the same bucket (especially where K is large). However, due to the design of LSH, we would expect that t' fell into a “close by” bucket whose hash code is very similar to the bucket in which t fell. Multi-probe leverages this observation by perturbing t in a systematic manner and looking at all buckets in which the perturbed t fell into. By carefully designing the perturbation process one can consider the buckets that have the highest probability of containing similar tuples. It has been shown that this approach often requires substantially less number of hash tables (as much as 20x) than a traditional approach [36]. Algorithm 5 provides the pseudocode of this approach.

4.5 Tuning LSH Parameters for Blocking

In contrast to traditional blocking rules that are often heuristics, the hash functions in LSH allow us to provide rigorous theoretical guarantees. While the list of LSH guarantees is beyond the scope of this paper (see [49] for details), we highlight two major ones - the ability to tune the parameters to achieve a predictable recall and occupancy rate by trading off the indexing and querying time.

Parameter Tuning for Recall. Recall that we need to select the parameters such that if two tuples are within a distance threshold of R , then the probability of them hashing to the same block in at least one hash table must be close to 1. On the other hand, if the distance between two records is greater than cR for some constant c , then the probability of them hashing to the same block in at least one hash table must be close to 0. We can control the false positive and negative values (and thereby recall) by varying the values of c and R , such as by setting the values that get the best results for the tuples in the training dataset. We can obtain

a fixed approximation ratio of $c = 1 + \epsilon$ by setting [52],

$$K = \frac{\log n}{\log 1/P_2} \quad L = n^\rho \quad \text{where } \rho = \frac{\log(1/P_1)}{\log(1/P_2)} \quad (1)$$

Parameter Tuning for Occupancy. LSH also allows us to control the occupancy - the expected number of tuples in any given block. This can be achieved by varying the size K of the number of hash functions in every hash table. Informally, if one uses multiple hash functions, we would expect *very* similar items to be stored in the same blocks but at the expense of low occupancy and a large number of blocks. On the other hand, a smaller number of hash functions results in less similar tuples being put in the same block. Intuitively, if we use only one hash function, this results in 2 buckets - one for +1 and -1. Since the hyperplane for the hash function is chosen randomly, we would expect each bucket to have an occupancy around 50% for all but most of the skewed data distributions. One can reduce the occupancy rate by increasing the number of hash functions. Alternatively, one can also use sophisticated methods such as [15] to achieve guaranteed limits.

5. EXPERIMENTAL RESULTS

5.1 Experimental Setup

Hardware and Platform. All our experiments were performed on a Core i7 6700HQ Skylake chip, with four cores running eight threads at speeds of up to 3.5GHz, along with 16GB of DDR4 RAM and the GTX 980M, complete with 8GB of DDR5 RAM. We used Torch [13] and Keras [10], a deep learning framework, to train and test our models. We used Scikit-Learn [43] to train the baseline SVM classifiers.

Datasets. We conducted extensive experiments over 7 different datasets covering diverse domains such as citations, e-commerce, and proteomics. Table 1 provides some statistics of these datasets. All are popular benchmark datasets and have been extensively evaluated by prior ER work using both ML and non-ML based approaches. We partition our datasets into two categories: “easy” and “challenging”. The former consists of datasets that are mostly structured and often have less noise in terms of typos and missing information. On the “easy” datasets most of the best existing ER approaches routinely exceed an F-score of 0.9. The challenging datasets often have unstructured attributes (such as product description) which are also noisy. On the “challenging” datasets that we study, both ML and rule based methods have struggled to achieve high F measures, with values between 0.6 and 0.7 being the norm. What these two categories have in common is that they require extensive effort from domain experts for cleaning, feature engineering and blocking to achieve good results. As we shall show later, our approach exceeds best existing results on all the datasets with minimal expert effort.

DEEPER Setup. Our experimental setup was an adaptation of prior ER evaluations methods [31, 32, 47] to handle distributed representations. For example, [31] used an arbitrary threshold (such as 0.1) on Jaccard similarity of trigram to eliminate tuple pairs that are clearly non-matches. We make two changes to this procedure. First, we use Cosine similarity to compute similarity between tuple pairs as it is more appropriate for distributed representations [40,

Dataset	#Tuples	#Duplicates	#Attr
Walmart-Amazon (Prod-WA) [‡] [17]	(2,554 - 22,074)	1,154	17
Amazon-Google (Prod-AG) [‡] [1]	(1,363 - 3,226)	1,300	5
DBLP-ACM (Pub-DA) [*] [1]	(2,616 - 2,294)	2,224	4
DBLP-Scholar (Pub-DS) [*] [1]	(2,616 - 64,263)	5,347	4
DBLP-Citeseer (Pub-DC) [*] [17]	(1,823,978 - 2,512,927)	558,787	4
Fodors-Zagat (Rest-FZ) [*] [2]	(533 - 331)	112	7
Protein (Bio-Pt) [‡] [9]	(4701 - 4701)	2279	1

Table 1: Dataset Statistics - * (Easy), ‡ (Challenging)

44]. Second, instead of picking an arbitrary threshold, we set it to the minimum similarity of matched tuple pairs in the *training* dataset. We obtain the negative examples (non duplicates) by picking one tuple from the positive example and randomly picking another tuple from the relation that is not its match. For example, if (t_i, t_j) is a duplicate, we pick a pair (t_k, t_l) as a negative example such that (t_k, t_l) is not a duplicate already given in the training data and has cosine similarity with (t_i, t_j) below the above computed threshold. This approach is chosen to verify the robustness of our models against near matches. For each of the datasets, we performed K -fold cross validation with $K=5$. We report the average of the F-measure values obtained across all the folds. We observed that in all cases, the standard deviation of the F-measure values was below 1%.

DEEPER Architecture. Since our objective is to highlight the turn-key aspect of DEEPER, we choose the simplest possible architecture. We use GloVe[44] as our distributed representation. Each tuple is represented as a $m \times d$ dimensional vector where m is the number of attributes with d being the dimension of distributed representations. For each attribute, we apply a standard tokenizer and average the DR obtained from GloVe (as against more sophisticated approaches such as Bi-LSTM). Given a pair of tuples, the compositional similarity is computed as the Cosine similarity of the corresponding attributes resulting in a m dimensional similarity vector. As mentioned above, we used K -fold validation with a duplicate to non-duplicate ratio of of 1:100 that is comparable to the ratio used by competing approaches. Note that the non-duplicates are sampled automatically. We also do not tune the DR for the ER task. Even with this restricted setup, DEEPER is competitive with existing approaches. In Section 5.4, we systematically vary each of these components of DEEPER architecture and show that each of them further improves the performance.

5.2 Evaluating DeepER

We conducted an extensive set of experiments that show that distributed representations constitute a promising approach to build turn-key ER systems. The key questions that we seek to answer with our evaluation are:

- How does the performance of DEEPER compare against published state-of-the-art results from traditional ML, rule and crowd based approaches?
- How does DEEPER compare against similar end-to-end EM pipelines such as Magellan [30]?
- How does the performance of DEEPER improve when we augment its simple architecture with enhancements

Dataset	Magellan	DeepER	Published
Pub-DA	97.6	98.6	N/A
Pub-DS	98.84	97.67	92.1 [25] (Crowd)
Pub-DC	96.4	99.1	95.2 [16] (Crowd)
Prod-WA	82.99	88.06	89.3 [25] (Crowd)
Prod-AG	87.68	96.029	62.2 [32] (ML)
Rest-FZ	100	100	96.5 [25] (Crowd)
Bio-Pt	N/A	92.1	83.9 [9] (ML)

Table 2: Comparing DeepER with state-of-the-art published results from existing rule-, ML- and crowd-based approaches. We also compared against Magellan, another end-to-end EM system.

such as tuning representations and using sophisticated compositional approaches?

- How does LSH based blocking approaches work in practice?

5.3 Comparison with Existing Methods

In our first set of experiments, we compare the performance of DEEPER with the best reported results from prior work. We consider non-learning, learning and crowd based approaches from [32, 25, 16]. Table 2 shows the F-measure values for both DEEPER and the best published result. These referenced F-scores represent the best effort from the respective authors and the simple DEEPER architecture has better performance, except for one dataset, namely Prod-WA, where a crowd-based approach does slightly better.

Recall that performing ER on a large dataset requires a number of design choices from the expert such as feature engineering, selection of appropriate similarity functions and thresholds, parameter tuning for ML models, selection of appropriate blocking functions, and so on. Hence, it is incredibly hard to take any of the existing approaches and apply it as-is on a new dataset. A key advantage of DEEPER is the ability to dramatically reduce this effort. In order to highlight this feature, we evaluated DEEPER against Magellan [30] that also has an end-to-end EM pipeline. We would like to emphasize that both DEEPER and Magellan share the dream of making the EM process as frictionless as possible. While Magellan uses a series of sophisticated heuristics internally, DEEPER leverages distributed representations as a foundational technique. It is very easy to incorporate features from DEEPER and Magellan to each other. For example, one can augment Magellan’s automatically derived similarity based features to DEEPER while Magellan can readily use the blocking of DEEPER and so on. Table 2 compares

the performance of DEEPER and Magellan using their default settings. Specifically, we adapted the end-to-end EM workflow for Magellan [37]. We can see that DEEPER beats Magellan on two datasets, while performing slightly worst in one datasets. Both systems delivered perfect results in the rather simple Fodors-Zagat dataset.

Another interesting observation is that our method was able to seamlessly work on identifying duplicates in a nucleotides database when provided with an appropriate dictionary for biomedical embeddings. What is more it was able to beat a hand-crafted approach using 22 features.

5.4 Understanding DeepER Performance

In this section, we investigate how each of the enhancements to the basic DEEPER architecture impacts its performance. Specifically, we consider 4 dimensions - training data size, fraction of incorrectly labeled training dataset, tuning of DR, and the compositional approach used. Hence, we compare the performance of DEEPER with and without the said modification. For this subsection, we use a positive to negative ratio of 1:4.

Varying the Size of Training Data. Figure 6 shows the results of varying the amount of training data. DEEPER is robust enough to be competitive with competing approaches with as little as 10% of training data. Note that 10% translates to as little as 11 examples that needs to be labeled in the case of Rest-FZ and to 543 in the case of Pub-DS. As expected, our method improves its excellent results with larger training data.

Impact of Incorrect Labels. Most of the prior work on ER assumes that the training data is perfect. However, this assumption might not always hold in practice. Given the increasing popularity of crowdsourcing for obtaining training data, it is likely that some of the labels for matching and non-matching pairs are incorrect. We investigate the impact of incorrect labels in this experiment. For a fixed set of training data (10%), we vary the fraction of labels that are marked incorrectly. Figure 7 shows the results. While the F-measure reduces with larger fraction of incorrect labels, the experiments also show that our approach is very robust. The average drop in F-measure values compared to the perfect labeling case across all datasets at 10% noise is just 2.6 with a standard deviation of 2.6. At 30% the average drop is 8% with a standard deviation of 7%. We can also see that at 10% noising, our approach is still competitive with state-of-the-art approaches.

Dynamic vs Static Word Embeddings. In this set of experiments, we evaluated the effect of updating (or fine-tuning) the initial word embeddings obtained from GloVe as part of training the model. In other words, we evaluated if tuning the distributed representation for ER tasks improves the performance of our model. Figure 8 shows the results. The results matched our intuition that for the “challenging” datasets, updating the word embeddings in an end-to-end learning framework helped boost the results a little, whilst for the “easy” ones, it had either a small negative effect or no effect at all. Thus, we advise that in general, it is better to use the end-to-end framework.

Varying Composition. In this set of experiments, we vary the compositional method we use to combine the individual word embeddings into a single representative vector for the tuple/attribute. Figure 9 shows that for the “easy” datasets,

simple word averaging work better than recurrent compositional models (LSTM or BiLSTM). This flips for the “challenging” datasets. Intuitively, this is due to the importance of word order dependency in values of attributes like product names or product description, and that observing such order is either immaterial or rather hurtful for values of attributes like the list of authors. In order to use the more complex compositional methods (LSTM or BiLSTM) one has to pay the price of its longer training times, one also has to tune its additional hyperparameters. However, even the simple averaging compositional technique is competitive with prior approaches on all datasets.

Varying Distributed Representations. We next study the impact of the dictionary used for distributed representations. GloVe has two major dictionaries : one trained on Common Crawl web corpus (840B tokens, 2.2M words) and one on Wikipedia (6B tokens, 400K words). We used the vocabulary retrofitting to handle words not present in the dictionary. Table 3 shows the result of the experiments. As expected, there is a steep drop in F1 score when trained on a smaller dictionary. The larger the corpus used for training the word embeddings, the better they are identifying semantic relationships. This shows the importance of identifying an appropriate source of distributed representations.

Dataset	Glove	Glove-Wiki
Pub-DA	98.6	82.1
Pub-DS	97.67	77.8
Pub-DC	99.1	79.2
Prod-WA	88.06	77.4
Prod-AG	96.029	87.2
Rest-FZ	100	91.2

Table 3: Impact of Word Embedding Dictionaries

Multi-Lingual Datasets. We now highlight an auxiliary benefit of using distributed representation based approach. We take two small datasets that were originally in English and translated them to Spanish. We then used the distributed representations for Spanish and repeated our approach. Table 4 shows that while there is a reduction in F1-score, our approaches can seamlessly work on multi-lingual datasets.

Dataset	English	Spanish
Prod-AG	96.029	89.1
Rest-FZ	100	92.6

Table 4: Showcasing ER on Multilingual Datasets

5.5 Evaluating LSH-based Blocking

In this subsection, we evaluate the performance of our LSH based blocking approach. Our approach allows us to vary K (the size of the hash code) and L (the number of hash tables) in order to achieve a tunable performance. Recall that one can use Equation 1 to derive K and L based on the task requirements. Suppose we wish that similar tuples should fall into same bucket with probability $P_1 = 0.95$ and dissimilar tuples should fall into the same bucket with probability $P_2 \leq 0.5$. Suppose that we index the DBLP dataset




Figure 6: Varying Size of Training Data




Figure 7: Varying Noise




Figure 8: Varying Vector Updates




Figure 9: Varying Composition




Figure 10: Impact of varying K and L on Pair Completeness (PC) and Reduction Ratio (RR). Legend for Figures 10(b)-10(d) is same as that of Figure 10(a)

of Pub-DS. Then based on Equation 1, we need a LSH with $K = 12$ and $L = 2$.

In our first set of experiments, we verify that the behavior of blocking is synchronous with the theoretical expectations. We evaluate the performance of blocking based on two metrics widely used in prior research [4, 11, 38]. The first metric, efficiency or reduction ratio (RR), is the ratio of the number of tuple pairs compared by our approach to the number of all possible pairs in T . In other words, a smaller value indicates a higher reduction in the number of comparisons made. The second metric, recall or pair completeness (PC), is the ratio of the number of true duplicates compared by our approach against the total number of duplicates in T .

A higher value for PC means that our approach places the duplicate tuple pairs in the same block.

Figures 10(a)-10(d) shows the results of our experiments. As K is increased, the value of PC decreases. This is due to the fact that for a fixed L , increasing K reduces the likelihood that two similar tuples will be placed in the same block which in turn reduces the number of duplicates that falls into the same block. However, for a fixed L , increasing K dramatically decreases the RR. This is to be expected as a larger value of K increases the number of LSH buckets into which tuples can be assigned to.

A complementary behavior can be observed when we fix K and vary L . When L is increased, PC also increases.

This is to be expected as the probability that two similar tuples being assigned to the same bucket increases when more than one hash table is involved. In other words, even if a true duplicate does not fall into the same bucket in one hash table, it can fall into the same bucket in other hash tables. However, increasing L has a negative impact on RR as a number of false positive tuple pairs can fall into the same bucket in at least one hash table thereby increasing the value of RR.

Evaluating Multi-Probe LSH. We evaluate Algorithm 5 using Multi-probe and comparing a tuple only with top- N most similar tuples instead of all tuples in a block. Figure 11 shows the result for Pub-AG. We vary the number of multi-probes and pick the top- N most similar tuples to be classified. We measure the recall of this approach for $K = 10$ and an extreme case with a *single* hash table where $L = 1$. We wish to highlight two trends. First, even using a single multi-probe sequence can dramatically increase the recall. This supports our claim that one can increase recall using a small number of hash tables by using multi-probe LSH. Second, increasing the size of N does not dramatically increase the recall. This is due to the fact that duplicate tuples have high similarity between their corresponding distributed representations. Our top- N based approach would be preferable to reduce the number of classifier invocations when the block size is much higher than 10.




Figure 11: MultiProbe LSH on Pub-AG

6. RELATED WORK

Entity Resolution. A good overview of ER can be found in surveys such as [20, 42]. Prior work on ER can be categorized as based on (a) declarative rules, (b) machine learning, and (c) expert or crowd based. Declarative rules such as DNF [7] that specify rules for matching tuples are easily interpretable [47] but often requires a domain expert. Most of the machine learning approaches are variants of the classical Fellegi-Sunter model [22]. Popular approaches include SVM [7], active learning [45], clustering [12]. Recently, ER using crowdsourcing has become popular [50, 25]. While there exist some work for learning similarity functions and thresholds [7, 51], ER often requires substantial involvement of the expert.

There has been extensive work on building EM systems. Please refer to [30] for a comprehensive survey of the current EM systems. Most of the prior works often do not cover the entire EM pipeline, require extensive interaction with

experts and are not turn-key systems. The key objective of DEEPER is the same as Magellan [30]. We aim to propose an end-to-end EM system based on distributed representations that minimizes the burden on the experts. Our techniques are modular enough and can be easily incorporated into any of the existing systems.

Blocking. Blocking has been extensively studied as a way to scale ER systems and a good overview can be found in surveys such as [4, 11]. Common approaches include key based blocking that partitions tuples into blocks based on their values on certain attributes and rule based blocking where a decision rule determines which block a tuple falls into. There has been limited work on simplifying this process by either learning blocking schemes such as [38] or tuning the blocking [29]. In contrast, our work automates the blocking process by requiring minimal input from the domain expert.

There has been some recent work on using LSH for blocking. [49] uses MinHashing where tuples with high Jaccard similarity with each other are likely to be assigned to the same block. [53] improves it by proposing a MinHashing with semantic similarity based on concept hierarchy to assign conceptually similar tuples to the same block. Our approach based on distributed representation does not require such taxonomy and can handle more sophisticated semantic similarity than [53]. [23] proposed a clustering based method to satisfy size constraints with upper and lower size thresholds for blocks for performance and privacy reasons. We leverage the prior work on tuning of LSH hash functions for occupancy rates for achieving similar behavior *on expectation*.

Deep Learning. A good overview of deep learning can be found in [26]. We leverage two fundamental ideas from Deep Learning - Distributed Representations [5] and Compositions [41]. There are a number of popular and open source distributed representation techniques such as GloVe [44], word2vec [39, 40] and fastText [8]. Since distributed vectors are often defined for words, one has to use composition to obtain distributed representations for complex objects such as phrases [40], sentences [33] and documents [33].

7. FINAL REMARKS

In this paper, we introduced DEEPER, a deep learning based approach for entity resolution. Our fundamental contribution is the identification of the concept of distributed representation as a key building block for designing effective ER classifiers. We also propose algorithms to transform a tuple to a distributed representation, building DR aware classifiers and an efficient blocking strategy based on LSH. Our extensive experiments show that this approach is promising and already achieves or surpasses state-of-the-art results on multiple benchmark datasets. We believe that deep learning is a powerful tool that has applications in databases beyond entity resolution and it is our hope that our ideas be extended to build practical and effective entity resolution systems.

8. REFERENCES

- [1] Benchmark datasets for entity resolution. https://dbs.uni-leipzig.de/en/research/projects/object_matching/fever/benchmark_datasets_for_entity_resolution.

- [2] Duplicate detection, record linkage, and identity uncertainty: Datasets. <http://www.cs.utexas.edu/users/ml/riddle/data.html>.
- [3] E. Asgari and M. R. Mofrad. Continuous distributed representation of biological sequences for deep proteomics and genomics. *PLoS one*, 10(11):e0141287, 2015.
- [4] R. Baxter, P. Christen, and T. Churches. A comparison of fast blocking methods for record linkage. In *SIGKDD Workshop on Data Cleaning, Record Linkage, and Object Consolidation*, 2003.
- [5] Y. Bengio, R. Ducharme, P. Vincent, and C. Janvin. A neural probabilistic language model. *JMLR*, 2003.
- [6] Y. Bengio, P. Simard, and P. Frasconi. Learning long-term dependencies with gradient descent is difficult. *Trans. Neur. Netw.*, 5(2):157–166, Mar. 1994.
- [7] M. Bilenko and R. J. Mooney. Adaptive duplicate detection using learnable string similarity measures. In *KDD*, 2003.
- [8] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov. Enriching word vectors with subword information. *arXiv preprint arXiv:1607.04606*, 2016.
- [9] Q. Chen, J. Zobel, and K. Verspoor. Benchmarks for measurement of duplicate detection methods in nucleotide databases. *Database*, 2016.
- [10] F. Chollet. *Deep learning with Python*. Manning Publications, 2018.
- [11] P. Christen. A survey of indexing techniques for scalable record linkage and deduplication. *TKDE*, 2012.
- [12] W. W. Cohen and J. Richman. Learning to match and cluster large high-dimensional data sets for data integration. In *KDD*, 2002.
- [13] R. Collobert, K. Kavukcuoglu, and C. Farabet. Torch7: A matlab-like environment for machine learning. In *BigLearn, NIPS Workshop*, 2011.
- [14] R. Collobert, J. Weston, L. Bottou, M. Karlen, K. Kavukcuoglu, and P. Kuksa. Natural language processing (almost) from scratch. *JMLR*, 2011.
- [15] M. Covell and S. Baluja. Lsh banding for large-scale retrieval with memory and recall constraints. In *ICASSP*, 2009.
- [16] S. Das, P. S. G. C., A. Doan, J. F. Naughton, G. Krishnan, R. Deep, E. Arcaute, V. Raghavendra, and Y. Park. Falcon: Scaling up hands-off crowdsourced entity matching to build cloud services. In *SIGMOD*, pages 1431–1446, 2017.
- [17] S. Das, A. Doan, P. S. G. C., C. Gokhale, and P. Konda. The magellan data repository. <https://sites.google.com/site/anhaidgroup/projects/data>.
- [18] A. Doan, A. Ardalan, J. R. Ballard, S. Das, Y. Govind, P. Konda, H. Li, S. Mudgal, E. Paulson, P. S. G. C., and H. Zhang. Human-in-the-loop challenges for entity matching: A midterm report. In *HILDA@SIGMOD*, 2017.
- [19] H. L. Dunn. Record linkage. *American Journal of Public Health*, 36 (12), 1946.
- [20] A. K. Elmagarmid, P. G. Ipeirotis, and V. S. Verykios. Duplicate record detection: A survey. *TKDE*, 19(1), 2007.
- [21] M. Faruqui, J. Dodge, S. K. Jauhar, C. Dyer, E. Hovy, and N. A. Smith. Retrofitting word vectors to semantic lexicons. *arXiv preprint arXiv:1411.4166*, 2014.
- [22] I. Fellegi and A. Sunter. A theory for record linkage. *Journal of the American Statistical Association*, 64 (328), 1969.
- [23] J. Fisher, P. Christen, Q. Wang, and E. Rahm. A clustering-based framework to control block sizes for entity resolution. In *KDD*, 2015.
- [24] A. Gionis, P. Indyk, R. Motwani, et al. Similarity search in high dimensions via hashing. In *VLDB*, volume 99, pages 518–529, 1999.
- [25] C. Gokhale, S. Das, A. Doan, J. F. Naughton, N. Rampalli, J. W. Shavlik, and X. Zhu. Corleone: hands-off crowdsourcing for entity matching. In *SIGMOD*, pages 601–612, 2014.
- [26] I. Goodfellow, Y. Bengio, and A. Courville. *Deep Learning*. MIT Press, 2016. <http://www.deeplearningbook.org>.
- [27] S. Hochreiter and J. Schmidhuber. Long short-term memory. *Neural Computation*, 9(8):1735–1780, Nov. 1997.
- [28] S. Hochreiter and J. Schmidhuber. Long short-term memory. *Neural computation*, 9(8):1735–1780, 1997.
- [29] B. Kenig and A. Gal. Mfblocks: An effective blocking algorithm for entity resolution. *Information Systems*, 2013.
- [30] P. Konda, S. Das, P. Suganthan GC, A. Doan, A. Ardalan, J. R. Ballard, H. Li, F. Panahi, H. Zhang, J. Naughton, et al. Magellan: Toward building entity matching management systems. *PVLDB*, 2016.
- [31] H. Köpcke and E. Rahm. Training selection for tuning entity matching. In *QDB/MUD*, 2008.
- [32] H. Köpcke, A. Thor, and E. Rahm. Evaluation of entity resolution approaches on real-world match problems. *PVLDB*, 2010.
- [33] Q. Le and T. Mikolov. Distributed representations of sentences and documents. In *ICML*, 2014.
- [34] J. Li, T. Luong, D. Jurafsky, and E. Hovy. When are tree structures necessary for deep learning of representations? In *EMNLP*, 2015.
- [35] P. Liu, S. Joty, and H. Meng. Fine-grained opinion mining with recurrent neural networks and word embeddings. In *EMNLP*, 2015.
- [36] Q. Lv, W. Josephson, Z. Wang, M. Charikar, and K. Li. Multi-probe lsh: efficient indexing for high-dimensional similarity search. In *Proceedings of the 33rd international conference on Very large data bases*, pages 950–961. VLDB Endowment, 2007.
- [37] Magellan. End-to-end em workflows, 2017.
- [38] M. Michelson and C. A. Knoblock. Learning blocking schemes for record linkage. In *AAAI*, pages 440–445, 2006.
- [39] T. Mikolov, K. Chen, G. Corrado, and J. Dean. Efficient estimation of word representations in vector space. *arXiv preprint arXiv:1301.3781*, 2013.
- [40] T. Mikolov, I. Sutskever, K. Chen, G. S. Corrado, and J. Dean. Distributed representations of words and phrases and their compositionality. In *NIPS*, 2013.
- [41] J. Mitchell and M. Lapata. Composition in

- distributional models of semantics. *Cognitive science*, 34(8):1388–1429, 2010.
- [42] F. Naumann and M. Herschel. An introduction to duplicate detection. *Synthesis Lectures on Data Management*, 2(1):1–87, 2010.
- [43] F. e. a. Pedregosa. Scikit-learn: Machine learning in python. *JMLR*, 2011.
- [44] J. Pennington, R. Socher, and C. D. Manning. Glove: Global vectors for word representation. In *EMNLP*, 2014.
- [45] S. Sarawagi and A. Bhamidipaty. Interactive deduplication using active learning. In *KDD*, 2002.
- [46] M. Schuster and K. K. Paliwal. Bidirectional recurrent neural networks. *IEEE TSP*, 1997.
- [47] R. Singh, V. Meduri, A. K. Elmagarmid, S. Madden, P. Papotti, J. Quiané-Ruiz, A. Solar-Lezama, and N. Tang. Generating concise entity matching rules. In *PVLDB*, 2017.
- [48] R. Socher, A. Perelygin, J. Wu, J. Chuang, C. D. Manning, A. Y. Ng, and C. Potts. Recursive deep models for semantic compositionality over a sentiment treebank. In *EMNLP*, 2013.
- [49] R. C. Steorts, S. L. Ventura, M. Sadinle, and S. E. Fienberg. A comparison of blocking methods for record linkage. In *PSD*, 2014.
- [50] J. Wang, T. Kraska, M. J. Franklin, and J. Feng. Crowder: Crowdsourcing entity resolution. *PVLDB*, 5(11):1483–1494, 2012.
- [51] J. Wang, G. Li, J. X. Yu, and J. Feng. Entity matching: How similar is similar. *PVLDB*, 2011.
- [52] J. Wang, H. T. Shen, J. Song, and J. Ji. Hashing for similarity search: A survey. *arXiv preprint arXiv:1408.2927*, 2014.
- [53] Q. Wang, M. Cui, and H. Liang. Semantic-aware blocking for entity resolution. *TKDE*, 2016.
- [54] W. E. Winkler. Data quality in data warehouses. In *Encyclopedia of Data Warehousing and Mining, Second Edition (4 Volumes)*, pages 550–555. 2009.